

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)

modifying DHCP packet prior to initialization of

[Search Patents](#)[Advanced Patent Search](#)
[Google Patent Search Help](#)Patents Showing: View as: Patents 1 - 10 on modifying DHCP packet prior to initiali[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)[\[APPLICATION\] Method and apparatus for controlling traffic in a computer network](#)

US Pat. 10829466 - Filed Apr 21, 2004

Other ways of detecting complete initialization of an application program may
... the DHCP request data 516) of the packet 800 to the computer having the ...[Dynamic network configuration of a one-way adapter using a proxy agent that ...](#)

US Pat. 6289377 - Filed Oct 27, 1998 - General Instrument Corporation

2) receives the DHCP session initialization request from the CM driver. At block
810, the PPRA may modify the DHCP session initialization request packet ...[System and method for network access without reconfiguration](#)

US Pat. 6857009 - Filed Oct 23, 2000 - Nomadix, Inc.

When an initialization packet is received as represented by block 200, ... The
packet is analyzed to determine whether it contains a DHCP request as ...[Method to block unauthorized access to TFTP server configuration files](#)

US Pat. 7293282 - Filed Jul 3, 2003 - Time Warner Cable, Inc.

3 illustrates typical steps that occur in CM initialization. ... Cable modem
configuration form of a DHCP packet (size of data in octets is indicated in ...[\[APPLICATION\] Method and apparatus for dynamically modifying service level agreements in ...](#)

US Pat. 9727394 - Filed Nov 29, 2000

The IP initialization application 149 initiates a request for an IP address ...
The packet sequence belonging to the service flow is recognized using a set ...[\[APPLICATION\] System and method for affecting the behavior of a network device in a cable ...](#)

US Pat. 10913970 - Filed Aug 6, 2004

Following initialization, the CM is then authenticated 230 to confirm that the
CM is ... This packet is then relayed to the DHCP server by the cable modem ...[\[APPLICATION\] Method and system for assigning network addresses](#)

US Pat. 10074574 - Filed Feb 13, 2002 - International Business Machines Corporation

6 illustrates a preferred embodiment of an SPCN command packet that is ...
master computer 44 then issues a master/slave IP/initialization command. ...[\[APPLICATION\] INDICATING OR REMARKING OF A DSCP FOR RTP OF A FLOW \(CALL\) TO AND FROM A SERVER](#)

US Pat. 11549554 - Filed Oct 13, 2006 -


[0042] SIP is an application layer control (signaling) protocol for creating,
modifying and terminating multimedia sessions with one or more participants ...[\[APPLICATION\] System and method for securely booting from a network](#)

US Pat. 10170975 - Filed Jun 13, 2002 - Microsoft Corporation

DHCP is used to acquire an IP address. Some device in the operating environment,
such as the computer 110 or a broadband gateway 24, etc., is expected to be ...[\[APPLICATION\] Secure and seamless wireless public domain wide area network and method of ...](#)

US Pat. 10223255 - Filed Aug 15, 2002

[0037] The LDAP server works in conjunction with a DHCP server that has ... This
re-initialization is transparent to the customers attached to this box. ...



Result Page: 1 2 [Next](#)

modifying DHCP packet prior to initialization of an application in the computer - Google Patents [Search Patents](#)

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2009 Google